UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/721,721	11/25/2003	Martin Kappes	503042-A-01-US (Kappes)	5762
47702 7590 04/01/2009 RYAN, MASON & LEWIS, LLP 1300 POST ROAD			EXAMINER	
			BIAGINI, CHRISTOPHER D	
SUITE 205 FAIRFIELD, C	Т 06824		ART UNIT	PAPER NUMBER
,			2442	
			MAIL DATE	DELIVERY MODE
			04/01/2009	PAPER

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



## **UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO./
CONTROL NO.

FILING DATE
FIRST NAMED INVENTOR /
PATENT IN REEXAMINATION

10721721

11/25/2003

KAPPES ET AL.

503042-A-01-US

(Kappes)

RYAN, MASON & LEWIS, LLP 1300 POST ROAD SUITE 205 FAIRFIELD, CT 06824

EXAMINER	
Christopher Biagini	

ART UNIT PAPER
2442 20090327

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner for Patents** 

The Pre-Appeal Brief Request for Review is improper and a conference will not be held (see attached).

Furthermore, the proposed amendment has not been entered. First, no proposed amendments may be filed with a Pre-Appeal Brief Request for Review. Second, the amendment does not comply with 37 CFR 1.121. Claim 9 is labeled "Previously Presented," but a comparison between this amendment and the last entered version of the claims (filed August 7, 2008) shows that the language is different. Third, claim 9 as now presented raises new issues that require further search and consideration.

Note that the period for response to this letter runs from the filing date of the Notice of Appeal.

/Andrew Caldwell/ Supervisory Patent Examiner, Art Unit 2442